

**COMMON SET OF DEVIATIONS**

<b>Sr. No.</b>	<b>As mentioned in the Tender</b>	<b>Query</b>	<b>Remark</b>
2	<p>As mentioned in Clause No. 2.2.4.1 Category II: Operational Experience - (Page No. 9) The Applicant must have a minimum experience of five (5) years of successful VTPMS operation and maintenance.</p> <p>As mentioned in Clause no. 3.2.4. Page No. 21 :-</p> <p>For a project to qualify as an Eligible project under category 2 it should have operated and maintained VTPMS for atleast three years</p>	<p>On Page No. 9, under the operational experience it has been mentioned that minimum of five years of experience is required whereas under the same clause on page no. 21 (3.2.4) it has been mentioned as three years. Request to rectify the same.</p>	<p>The minimum experience of three years as mentioned under Clause No. 3.2.4 will be considered hence, Clause No. 2.2.4.1 Category II: Operational Experience - (Page No. 9) <b><u>amended as</u></b> "The Applicant must have a minimum experience of <b><u>three (3) years</u></b> of successful VTPMS operation and maintenance.</p>
		<b>Extension of Bid Submission Time</b>	<p>The Time to submit the Bid is now extended to 15th July, 2013 till 3.00 p.m. The bids will be opened on the same day at 3.30 p.m.</p>